

## TK-NEREZ - Nerezový zářezný prsten DIN 2353, ISO 3484

Kód produktu: **32376**


Tip



32376


Zářezný prsten  
Cutting Ring

UNI EN ISO 8434-1



Trubka  
Hadice  
Ø  
Tubo

DIN 2353



| Řada | Bar | Kód        | Trubka | L1   | D1   | D2   |
|------|-----|------------|--------|------|------|------|
| L/S  | 630 | ADTLS06-SS | 6      | 9,5  | 10,0 | 10,0 |
|      |     | ADTLS08-SS | 8      | 9,5  | 12,0 | 12,0 |
|      |     | ADTLS10-SS | 10     | 10,0 | 14,0 | 14,0 |
|      |     | ADTLS12-SS | 12     | 10,0 | 16,0 | 16,0 |
| L    | 315 | ADTL15-SS  | 15     | 10,0 | 19,0 | 20,0 |
|      |     | ADTL18-SS  | 18     | 10,0 | 23,0 | 23,0 |
|      |     | ADTL22-SS  | 22     | 10,5 | 27,0 | 27,0 |
|      | 160 | ADTL28-SS  | 28     | 11,0 | 33,0 | 33,0 |
|      |     | ADTL35-SS  | 35     | 13,0 | 41,0 | 41,0 |
|      |     | ADTL42-SS  | 42     | 13,0 | 48,0 | 48,0 |
| S    | 630 | ADTS14-SS  | 14     | 10,0 | 19,0 | 19,0 |
|      |     | ADTS16-SS  | 16     | 10,5 | 21,0 | 21,0 |
|      |     | ADTS20-SS  | 20     | 12,0 | 26,0 | 26,0 |
|      | 400 | ADTS25-SS  | 25     | 12,0 | 32,0 | 32,0 |
|      |     | ADTS30-SS  | 30     | 13,0 | 36,0 | 38,0 |
|      |     | ADTS38-SS  | 38     | 13,0 | 44,0 | 48,0 |

- Pracovní teplota: **-34°C až +250°C**
- Bezpečnost: **2,5 : 1**
- Materiál těsnění: -
- Norma výrobku: **DIN 2353, ISO 3484**
- Materiál produktu: **Nerez 1.4571 (AISI 316 Ti)**

## Varianty zboží

Objednací kód

Trubka

Série

Provozní tlak

Průměr

Mj

Vaše cena bez DPH

Sklad

ADTLS06-SS

6 mm

L+S

630 bar

D1=10,0 mm

ks

**40,00 Kč**

Lanškroun: **65,0**Pardubice: **0**Zlín: **0**Praha - Zličín: **0**Praha - Letňany: **0**Ostrava: **0**

ADTLS08-SS

8 mm

L+S

630 bar

D1=12,0 mm

ks

**42,20 Kč**

Lanškroun: **90,0**Pardubice: **0**Zlín: **0**Praha - Zličín: **0**Praha - Letňany: **0**Ostrava: **0**

ADTLS10-SS

10 mm

L+S

630 bar

D1=14,0 mm

ks

**47,60 Kč**

Lanškroun: **6,0**Pardubice: **0**Zlín: **0**Praha - Zličín: **0**Praha - Letňany: **0**Ostrava: **0**

ADTLS12-SS

12 mm

L+S

630 bar

D1=16,0 mm

ks

**55,50 Kč**

Lanškroun: **173,0**Pardubice: **0**Zlín: **46,0**Praha - Zličín: **0**Praha - Letňany: **0**Ostrava: **0**

ADTL15-SS

15 mm

L

315 bar

D1=19,0 mm

ks

**76,30 Kč**  
Lanškroun: 5,0Pardubice: 0Zlín: 0Praha - Zličín: 0Praha - Letňany: 0Ostrava: 0  
ADTL18-SS  
18 mm  
L  
315 bar  
D1=23,0 mm  
ks

**91,60 Kč**  
Lanškroun: 11,0Pardubice: 0Zlín: 0Praha - Zličín: 0Praha - Letňany: 0Ostrava: 0  
ADTL22-SS  
22 mm  
L  
160 bar  
D1=27,0 mm  
ks

**125,70 Kč**  
Lanškroun: 6,0Pardubice: 0Zlín: 0Praha - Zličín: 0Praha - Letňany: 0Ostrava: 0  
ADTL28-SS  
28 mm  
L  
160 bar  
D1=33,0 mm  
ks

**181,90 Kč**  
Lanškroun: 7,0Pardubice: 0Zlín: 0Praha - Zličín: 0Praha - Letňany: 0Ostrava: 0  
ADTL35-SS  
35 mm  
L  
160 bar  
D1=41,0 mm  
ks

**294,90 Kč**  
Lanškroun: 0Pardubice: 0Zlín: 0Praha - Zličín: 0Praha - Letňany: 0Ostrava: 0  
ADTL42-SS  
42 mm  
L  
160 bar  
D1=48,0 mm  
ks

**389,80 Kč**  
Lanškroun: 0Pardubice: 0Zlín: 0Praha - Zličín: 0Praha - Letňany: 0Ostrava: 0  
ADTS14-SS  
14 mm  
S  
630 bar  
D1=19,0 mm  
ks

**69,80 Kč**  
Lanškroun: 60,0Pardubice: 0Zlín: 0Praha - Zličín: 0Praha - Letňany: 0Ostrava: 0  
ADTS16-SS  
16 mm  
S  
400 bar  
D1=21,0 mm  
ks

**81,00 Kč**  
Lanškroun: 0Pardubice: 0Zlín: 0Praha - Zličín: 0Praha - Letňany: 0Ostrava: 0  
ADTS20-SS  
20 mm  
S  
400 bar  
D1=26,0 mm  
ks

**123,90 Kč**  
Lanškroun: 0Pardubice: 0Zlín: 0Praha - Zličín: 0Praha - Letňany: 0Ostrava: 3,0  
ADTS25-SS  
25 mm  
S  
400 bar  
D1=32,0 mm

ks  
**180,90 Kč**  
Lanškroun: 0Pardubice: 0Zlín: 0Praha - Zličín: 0Praha - Letňany: 0Ostrava: 0  
ADTS30-SS  
30 mm  
S  
400 bar  
D1=36,0 mm  
ks

**237,80 Kč**  
Lanškroun: 0Pardubice: 0Zlín: 0Praha - Zličín: 0Praha - Letňany: 0Ostrava: 0  
ADTS38-SS  
38 mm  
S  
315 bar  
D1=44,0 mm  
ks

**342,30 Kč**  
Lanškroun: 0Pardubice: 0Zlín: 0Praha - Zličín: 0Praha - Letňany: 0Ostrava: 0