


ZÁVITOVÁ SPOJKA OTOČNÁ AG/IG MS - Mosazná spojka s vnějším a vnitřním BSPP závitem

Kód produktu: 32509



32509



HOW DO I CHOOSE THE BEST ROTAPoint™ FOR MY APPLICATION?



ACCESSORIES

The rotating unions and their different accessories are available in the corresponding materials. They make numerous configurations possible including radial flow, when applying RP* elbows. LINC advises to use only the original ROTAPoint and ROTABOW accessories for your piece of mind.



- Pracovní teplota: **-10°C až +120°C**
- Materiál produktu: **Mosaz**
- Materiál vnitřní: **Mosaz**
- Materiál těsnění: **PUR**
- Médium: **Voda a kapaliny**
- Norma výrobku: **Závity ISO 228**
- Použití produktu: **Otočné spojení výdejní pistole a hadice, čerpací stanice**

Náhradní díl Výdejní pistole ZV 400.2 v průměru BSPP 2"

Varianty zboží

Objednací kód

Vnitřní závit

Vnější závit

Provozní tlak

Šestihran

Poznámka

Hmotnost

Mj

Vaše cena bez DPH

Sklad

SIG12SAG12/MS

1/2"

1/2"

40 bar

Rotace 40/min.

0,35 kg

ks

3 892,00 Kč

Lanškroun: **0**Pardubice: **0**Zlín: **0**Praha - Zličín: **0**Praha - Letňany: **0**Ostrava: **0**

SIG34SAG34/MS

3/4"

3/4"

40 bar

70/64

Rotace 40/min.

0,31 kg

ks

3 654,00 Kč

Lanškroun: **0**Pardubice: **0**Zlín: **0**Praha - Zličín: **0**Praha - Letňany: **0**Ostrava: **0**

SIG10SAG10/MS

1"

1"

40 bar

70/64

Rotace 40/min.

0,3 kg

ks

3 283,00 Kč

Lanškroun: **0**Pardubice: **0**Zlín: **0**Praha - Zličín: **0**Praha - Letňany: **0**Ostrava: **0**

SIG54SAG54/MS

1.1/4"

G 1.1/4"

20 bar
70/64
Rotace 35/min.
0,32 kg
ks

5 648,00 Kč
Lanškroun: **0**Pardubice: **0**Zlín: **0**Praha - Zličín: **0**Praha - Letňany: **0**Ostrava: **0**

SIG64SAG64/MS

1.1/2
G 1.1/2"
20 bar
70/64

Rotace 35/min.
0,33 kg
ks

4 742,00 Kč
Lanškroun: **0**Pardubice: **0**Zlín: **0**Praha - Zličín: **0**Praha - Letňany: **0**Ostrava: **0**

SIG20SAG20/MS

2"
2"
bar
70/64
0,35 kg
ks

5 594,00 Kč
Lanškroun: **5,0**Pardubice: **0**Zlín: **0**Praha - Zličín: **0**Praha - Letňany: **0**Ostrava: **0**