

DIGITÁLNÍ MĚŘIČ PRŮTOKU OLEJE - CE i obyč, s průtoky o 35 do 100L/Min, 20 Bar 2014/32 UE

Kód produktu: 33890



CE



CE



CE

ART. 37780 Oil digital meters

Digital litre-counter for oil 1/2" suitable for gun and pump, flowrate 35 l/min



Features	UM	Value
Flow rate	l/min	35
Compatible fluids		oils and similar products
Body's material		aluminum
Gear's material		POM
Inlet		G 1/2" (F)
Outlet		G 1/2" (F)
Max working pressure	bar	70
Burst pressure	bar	± 200
Accuracy		± 0.3%
Net weight	kg	0.485
Packing	N° - m³	1 - 0.0015
Gross weight	kg	0.85
Dimensions (A-B-C)	mm	94 - 90 - 55

ART. 37781

Oil digital meters



Digital litre-counter for oil 3/4" suitable for gun and pump, flowrate 70 l/min

Features	UM	Value
Flow rate	l/min	70
Compatible fluids		oils and similar products
Body's material		aluminum
Gear's material		POM
Inlet		G 3/4" (f)
Outlet		G 3/4" (f)
Max working pressure	bar	70
Burst pressure	bar	± 200
Accuracy		± 0,3%
Net weight	kg	0,790
Packing	N° - m³	1 - 0,0018
Gross weight	kg	1
Dimensions (A-B-C)	mm	94 - 92 - 77

ART. 37782

Oil and windshield washing liquid digital meters

Digital litre-counter for oil and similar 1", flowrate 100 l/min



FLUIDS FRESH OIL | ANTIFREEZE | DIESEL FUEL
SECTORS AERONAUTIC | AGRICULTURE | AUTOMOTIVE
CERTIFICATIONS NOT TYPE-APPROVED FOR PUBLIC USE

Features	UM	Value
Flow rate	l/min	100
Compatible fluids		oils and similar
Body's material		aluminum
Gear's material		POM
Inlet		G 1" (f) + flang
Outlet		G 1" (f) + flang
Max working pressure	bar	70
Burst pressure	bar	± 200
Accuracy		± 0,3%
Net weight	kg	1,100
Packing	N° - m³	1 - 0,005
Gross weight	kg	1,35
Dimensions (A-B-C)	mm	109 - 91 - 99

- Výrobce: [RAASM](#)
- Pracovní teplota: **-25°C až +60°C**
- Materiál produktu: **Eloxovaný hliník, POM ozubená kola**
- Médium: **Oleje, nafta**
- Použití produktu: **Měření množství olejů ve výdejních**

Elektronické digitální počítadlo litrů je určeno pro snadné a přesné měření dodávky a přenosu kapalin s nízkou, střední a vysokou viskozitou, jako jsou mazací oleje, plynový olej, nemrznoucí kapalina, kapaliny na mytí oken a další kapaliny kompatibilní s materiálem, jehož počítadlo litrů je vyrobeno. Certifikace "MID" - schváleno jako měřicí nástroj pro obchodní transakce.

Varianty zboží

Objednací kód

Vnitřní závit

Provozní tlak

D.*

Poznámka

Hmotnost

Balení [MJ]

Mj

Vaše cena bez DPH

Sklad

37780MID-AL-DIGI

G 1/2"

20 bar

35 L/min. mm

Certifikace 35 L/min.

0,647 kg

1

ks

6 623,00 Kč

Lanškroun: **0**Pardubice: **0**Zlín: **0**Praha - Zlín: **0**Praha - Letňany: **0**Ostrava: **0**

37780-AL-DIGI

G 1/2"

20 bar

35 L/min. mm

Obyč.35 L/min.

0,485 kg

1

ks

3 720,00 Kč

Lanškroun: **0**Pardubice: **0**Zlín: **0**Praha - Zlín: **0**Praha - Letňany: **0**Ostrava: **0**

37781-AL-DIGI

G 3/4"

70 bar

70 L/min. mm

Obyč.70 L/min.

0,79 kg

1

ks

5 600,00 Kč

Lanškroun: **0**Pardubice: **0**Zlín: **0**Praha - Zlín: **0**Praha - Letňany: **0**Ostrava: **0**

37782-AL-DIGI

G 1"

70 bar
100 L/min. mm
Obyč.100 L/min.
1,1 kg
1
ks

7 480,00 Kč

Lanškroun: 0Pardubice: 0Zlín: 0Praha - Zličín: 0Praha - Letňany: 0Ostrava: 0