




2/2 NC - 1/4" → 1"



Code	Bearing name Nomen kladivo Bearing name Nomen kladivo	Construction Konstrukcija Construction Konstrukcija	Dimensions Dimenzije Dimensions Dimenzije	Shaft Osovina	Shaft Osovina	SFR (g/s)	Pressure Pritisak				Rotation Okretaji
							Bar	MPa	MPa	MPa	
							Max	Max TC	Max TC	Max TC	Max TC
							MPa	MPa	MPa	MPa	MPa

Code	Bearing name Nomen kladivo Bearing name Nomen kladivo	Construction Konstrukcija Construction Konstrukcija	Dimensions Dimenzije Dimensions Dimenzije	Shaft Osovina	Shaft Osovina	SFR (g/s)	Pressure Pritisak				Rotation Okretaji
							Bar	MPa	MPa	MPa	
							Max	Max TC	Max TC	Max TC	Max TC
							MPa	MPa	MPa	MPa	MPa

H Without manual override – Other handsetting device

H= bez ručnizi a s standardni uređaj za podešavanje

Code	Bearing name Nomen kladivo Bearing name Nomen kladivo	Construction Konstrukcija Construction Konstrukcija	Dimensions Dimenzije Dimensions Dimenzije	Shaft Osovina	Shaft Osovina	SFR (g/s)	Pressure Pritisak	Pressure Pritisak	Pressure Pritisak	Pressure Pritisak	Rotation Okretaji	
040 01 1 18_4	N = NBR +PC +PT	18°	18	25	1.88	0.15	16	6.5	7.5	-	22	0.18
							25	25	8	11	-	0.23
							16	6.5	7.5	-	22	0.18
							25	25	8	11	-	0.23
040 01 1 18_4	N = POM +PC +PT	1.2°	18	25	3.53	0.15	16	6.5	7.5	-	22	0.18
							25	25	8	11	-	0.23
							16	6.5	7.5	-	22	0.18
							25	25	8	11	-	0.23
040 01 1 18_4	N = EPDM +PC +PT	30°	18	25	5.66	0.15	16	6.5	7.5	-	22	0.18
							25	25	8	11	-	0.23
							16	6.5	7.5	-	22	0.18
							25	25	8	11	-	0.23
040 01 1 25_4	N = NBR +PC +PT	1°	25	35	19.87	0.15	16	6.5	7.5	-	22	0.18
							25	25	8	11	-	0.23
							16	6.5	7.5	-	22	0.18
							25	25	8	11	-	0.23

4 Without manual override and with vented and guided diaphragm

4= bez ručnizi a, sa ventilom i usmerenom membranom

Code	Bearing name Nomen kladivo Bearing name Nomen kladivo	Construction Konstrukcija Construction Konstrukcija	Dimensions Dimenzije Dimensions Dimenzije	Shaft Osovina	Shaft Osovina	SFR (g/s)	Pressure Pritisak	Pressure Pritisak	Pressure Pritisak	Pressure Pritisak	Rotation Okretaji		
040 01 7 18_4	N = NBR +PC +PT	30°	18	25	4.91	0.15	16	16	6.5	7.5	-	22	0.18
							25	25	8	11	-	0.23	
							16	16	6.5	7.5	-	22	0.18
							25	25	8	11	-	0.23	
040 01 7 18_4	N = POM +PC +PT	1°	25	35	9.32	0.15	16	16	6.5	7.5	-	22	0.18
							25	25	8	11	-	0.23	
							16	16	6.5	7.5	-	22	0.18
							25	25	8	11	-	0.23	
040 01 7 25_4	N = EPDM +PC +PT	1°	25	35	25.25	0.15	16	16	6.5	7.5	-	22	0.18
							25	25	8	11	-	0.23	
							16	16	6.5	7.5	-	22	0.18
							25	25	8	11	-	0.23	

2 With manual override and with vented and guided diaphragm

2= ručni ručnizi a + ventilom i usmerenom membranom

Code	Bearing name Nomen kladivo Bearing name Nomen kladivo	Construction Konstrukcija Construction Konstrukcija	Dimensions Dimenzije Dimensions Dimenzije	Shaft Osovina	Shaft Osovina	SFR (g/s)	Pressure Pritisak	Pressure Pritisak	Pressure Pritisak	Pressure Pritisak	Rotation Okretaji		
040 01 7 18_2	N = NBR +PC +PT	30°	18	25	4.91	0.15	16	16	6.5	7.5	-	22	0.18
							25	25	8	11	-	0.23	
							16	16	6.5	7.5	-	22	0.18
							25	25	8	11	-	0.23	
040 01 7 18_2	N = POM +PC +PT	1°	25	35	9.32	0.15	16	16	6.5	7.5	-	22	0.18
							25	25	8	11	-	0.23	
							16	16	6.5	7.5	-	22	0.18
							25	25	8	11	-	0.23	
040 01 7 25_2	N = EPDM +PC +PT	1°	25	35	25.25	0.15	16	16	6.5	7.5	-	22	0.18
							25	25	8	11	-	0.23	
							16	16	6.5	7.5	-	22	0.18
							25	25	8	11	-	0.23	

04F04114N0
14 mm
NBR
0,15-10 bar
G 3/8"
0,35 kg
0
3320 L/hod.
Sol.10 (11) SOLX4 mm
ks
1 217,00 Kč
Lanškroun: 0Pardubice: 0Zlín: 0Praha - Zličín: 0Praha - Letňany: 0Ostrava: 0

04F04114V0
14 mm
Viton
0,15-10 bar
G 3/8"
0,35 kg
0
3320 L/hod.
Sol.10 (11) SOLX4 mm
ks
1 350,00 Kč
Lanškroun: 0Pardubice: 0Zlín: 0Praha - Zličín: 0Praha - Letňany: 0Ostrava: 0

04F04114E0
14 mm
EPDM
0,15-10 bar
G 3/8"
0,35 kg
0
3320 L/hod.
Sol.10 (11) SOLX4 mm
ks
1 296,00 Kč
Lanškroun: 0Pardubice: 0Zlín: 0Praha - Zličín: 0Praha - Letňany: 0Ostrava: 0

04F05114NH
14 mm
NBR
0,15-10 bar
G 1/2"
0,38 kg
H
3530 L/hod.
Sol.10 (11) SOLX4 mm
ks
1 096,00 Kč
Lanškroun: 0Pardubice: 0Zlín: 0Praha - Zličín: 0Praha - Letňany: 0Ostrava: 0

04F05114VH
14 mm
Viton
0,15-10 bar
G 1/2"
0,38 kg
H
3530 L/hod.
Sol.10 (11) SOLX4 mm
ks
1 232,00 Kč
Lanškroun: 0Pardubice: 0Zlín: 0Praha - Zličín: 0Praha - Letňany: 0Ostrava: 0

04F05114EH
14 mm
EPDM
0,15-10 bar
G 1/2"
0,38 kg
H
3530 L/hod.
Sol.10 (11) SOLX4 mm
ks
1 210,00 Kč

Lanškroun: 0Pardubice: 0Zlín: 0Praha - Zličín: 0Praha - Letňany: 0Ostrava: 0
04F05114N0
14 mm
NBR
0,15-10 bar
G 1/2"
0,38 kg
0
3530 L/hod.
Sol.10 (11) SOLX4 mm
ks

1 253,00 Kč

Lanškroun: 0Pardubice: 0Zlín: 0Praha - Zličín: 0Praha - Letňany: 0Ostrava: 0
04F05114V0
14 mm
Viton
0,15-10 bar
G 1/2"
0,38 kg
0
3530 L/hod.
Sol.10 (11) SOLX4 mm
ks

1 388,00 Kč

Lanškroun: 0Pardubice: 0Zlín: 0Praha - Zličín: 0Praha - Letňany: 0Ostrava: 0
04F05114E0
14 mm
EPDM
0,15-10 bar
G 1/2"
0,38 kg
0
3530 L/hod.
Sol.10 (11) SOLX4 mm
ks

1 328,00 Kč

Lanškroun: 0Pardubice: 0Zlín: 0Praha - Zličín: 0Praha - Letňany: 0Ostrava: 0
04F07118NH
18 mm
NBR
0,15-10 bar
G 3/4"
0,5 kg
H
5560 L/hod.
Sol.10 (11) SOLX4 mm
ks

1 479,00 Kč

Lanškroun: 0Pardubice: 0Zlín: 0Praha - Zličín: 0Praha - Letňany: 0Ostrava: 0
04F07118V0
18 mm
Viton
0,15-10 bar
G 3/4"
0,5 kg
0
5560 L/hod.
Sol.10 (11) SOLX4 mm
ks

1 804,00 Kč

Lanškroun: 0Pardubice: 0Zlín: 0Praha - Zličín: 0Praha - Letňany: 0Ostrava: 0
04F07118E0
18 mm
EPDM
0,15-10 bar
G 3/4"
0,5 kg
0
5560 L/hod.
Sol.10 (11) SOLX4 mm
ks

1 728,00 Kč

Lanškroun: 0Pardubice: 0Zlín: 0Praha - Zličín: 0Praha - Letňany: 0Ostrava: 0

04F07118N2

18 mm

NBR

0,15-10 bar

G 3/4"

0,5 kg

2

5560 L/hod.

Sol.10 (11) SOLX4 mm

ks

1 712,00 Kč

Lanškroun: 0Pardubice: 0Zlín: 0Praha - Zličín: 0Praha - Letňany: 0Ostrava: 0

04F07118V2

18 mm

Viton

0,15-10 bar

G 3/4"

0,5 kg

2

5560 L/hod.

Sol.10 (11) SOLX4 mm

ks

1 880,00 Kč

Lanškroun: 0Pardubice: 0Zlín: 0Praha - Zličín: 0Praha - Letňany: 0Ostrava: 0

04F07118E2

18 mm

EPDM

0,15-10 bar

G 3/4"

0,5 kg

2

5560 L/hod.

Sol.10 (11) SOLX4 mm

ks

1 809,00 Kč

Lanškroun: 0Pardubice: 0Zlín: 0Praha - Zličín: 0Praha - Letňany: 0Ostrava: 0

04F09125N2

25 mm

NBR

0,15-10 bar

G 1"

0,51 kg

2

10970 L/hod.

Sol.10 (11) SOLX4 mm

ks

2 457,00 Kč

Lanškroun: 0Pardubice: 0Zlín: 0Praha - Zličín: 0Praha - Letňany: 0Ostrava: 0

04F09125V2

25 mm

Viton

0,15-10 bar

G 1"

0,51 kg

2

10970 L/hod.

Sol.10 (11) SOLX4 mm

ks

2 754,00 Kč

Lanškroun: 0Pardubice: 0Zlín: 0Praha - Zličín: 0Praha - Letňany: 0Ostrava: 0

04F09125E2

25 mm

EPDM

0,15-10 bar

G 1"

0,51 kg

2

10970 L/hod.

Sol.10 (11) SOLX4 mm

ks

2 646,00 Kč

Lanškroun: 0Pardubice: 0Zlín: 0Praha - Zličín: 0Praha - Letňany: 0Ostrava: 0